



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

S.No.7

F.No.: 740-89-254(E)/RC/95

Date: 30.04.2003

To

The Secretary  
Higher & Technical Education  
& Employment Department  
Govt. of Maharashtra  
Mantralaya, Mumbai - 400 032.  
MAHARASHTRA.

13/5/03 (Original)  
13/5/03

Sub: Extension of approval of AICTE to SHRI RAMDEVBABA KAMLA NEHRU COL. OF ENGG., RAMDEV TEKDI, GITTI KHADAN, KATOL ROAD, NAGPUR-440 013, for the academic year 2003-04.

Sir/Madam,

The Application/ Proposal and/ or the Compliance Report received for SHRI RAMDEVBABA KAMLA NEHRU COL. OF ENGG., RAMDEV TEKDI, GITTI KHADAN, KATOL ROAD, NAGPUR-440 013, has been processed as per laid down procedure, guidelines, policy and/or norms & standards of AICTE, mentioned in AICTE Regulations and/ or "AICTE Hand Book for Approval Process".

I am directed to state that the All India Council for Technical Education (AICTE) is pleased to approve approval to SHRI RAMDEV BABA KAMLA NEHRU ENGG.COL., RAMDEV TEKDI, GITTI KHADAN, KOTLA RD, NAGPUR-440013, , , , , for extension of AICTE Approval/ Introduction of new course(s)/ Variation in intake (Increase/ Decrease), as applicable for under-graduate degree level course(s) in Engineering /Technology with annual intake for each course as given below :

FULL TIME COURSE(S)	EXISTING ANNUAL INTAKE	REVISED APPROVED INTAKE	ENTRY LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
CIVIL ENGINEERING	60	60	10+2	4	2003-04
COMPUTER SC. & ENGG.	60	60	10+2	4	2003-04
ELECTRONICS & TELECOMMUNICATION ENGINEERING	60	60	10+2	4	2003-04
ELECTRONICS & POWER ENGINEERING	60	60	10+2	4	2003-04
ELECTRONICS DESIGN TECHNOLOGY	30	30	10+2	4	2003-04
ELECTRONICS ENGG.	90	90	10+2	4	2003-04
INDUSTRIAL ENGG.	60	60	10+2	4	2003-04
INFORMATION TECHNOLOGY	40	40	10+2	4	2003-04
MINING ENGINEERING	30	0	10+2	4	2003-04
Total Annual Intake	460	460			

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002  
Indira Gandhi Sports Complex, I.P. Estate, New Delhi-110002  
दूरभाष / Phone : 23392506, 63-65,68,71,73-75 फैक्स / Fax : 011-23392555


The approval accorded above is subject to fulfillment of the following Conditions:

1. All full time faculty members as per AICTE Norms must be recruited before making admissions.
2. The Institution must have Affiliation to a University for the above courses before making admissions. In the absence of such Affiliation, this Letter of approval shall be treated as Withdrawn. (**Order of the High Court of Madras in W.P. No. 33256 of 2002 and other Batch of Petitions**).
3. All the required Laboratories/ Workshops/ Machineries/ Equipment, as per approved syllabi of the affiliating University, must be operational before making admissions.
4. The approved course(s) shall commence as per the academic calendar of the Affiliating University.
5. If this Letter of approval is received by you after the closing date of State / National Level Central Counseling for Admissions in the concerned State / Union Territory, this Letter of approval will not be valid for making any admission during the above specified academic year, and shall be treated as withdrawn.
6. No excess admission shall be made by the Institution during any academic year.
7. The approval is valid only for the academic year 2003-2004. If no further extension of AICTE approval is received beyond the academic year 2003-2004, this Approval Letter will not be valid for making any admission for the subsequent years.
8. Name of the Institution, Name of the Society/Trust, are not allowed to be changed without prior approval of AICTE. The name and title of the institution should be such that "**the Emblems and Names (Prevention of improper use) Act 12 (1950)**" of Government of India, is not violated in any manner.  
  
The use of word "Indian" and /or "National" and/or "All India" and/or "All India Council" and/or Commission" in any part of the name of a Technical Institution and/ or any name whose abbreviated form leads to "IIM"/ "IIT"/"IISC"/"IIIT"/ "AICTE"/ "UGC" shall not be permitted. These restrictions will not be applicable for those institutions which are established with the name approved by the Govt. of India.
9. In exercise of power conferred under 10(p) of the AICTE Act, AICTE, may inspect the Institution any time it may deem fit to verify the progress compliance or for any other purpose.
10. Any other condition(s) as may be specified by AICTE from time to time.

It may please be noted that consequent to judgement of Hon'ble Supreme Court delivered on 31/10/2002 in TMA Pai Case, the AICTE had issued interim policy regulations, which has been notified in the Gazette of India on 20/03/2003. All the provisions contained in the interim policy regulations shall be applicable for the academic year 2003-2004 in respect of all the AICTE approved institutions.

In the event of infringement/ contravention or non-compliance of the above Conditions and/or the provision of AICTE Act & Regulations/ Guidelines/ Norms & Standards as prescribed by AICTE, further actions leading to 'Reduced Intake' or "No Admission or Withdrawal of Approval, may be taken by AICTE and the liability arising out of such actions will be solely that of the Management of the Institution.


Your faithfully,


  
(Prof. S. Gaud)  
Principal (UG)

Encl: Suggested Improvements (~~Specific Conditions~~)

Copy to:

1. The Regional Officer, AICTE , South Western Regional Office Health Centre Building  
Bangalore University Campus Bangalore – 560 109.
2. The Registrar, NAGPUR UNIVERSITY.
3. The Principal  
SHRI RAMDEO BABA KAMLA  
NEHRU ENGG.COL,  
RAMDEV TEKDI, GITTI KHADAN,KOTLA RD.  
NAGPUR-440013
4. The Director of Technical Education  
Govt. of Maharashtra  
3, Mahapalika Marg,  
Mumbai – 400 001.
5. Guard File. Bureau (UG).

  
12/5/13  
नौदरी विद्यालय,  
रा. क. म. म. म.  
नगपुर-४३.

  
13/5/13  
AS  
12/5

REGION:	WESTERN	STATE:	MAHARASHTRA
Name and Address of the Institution as per the AICTE approval letter for academic year 2002-2003	Name of the Institution being changed without prior approval of AICTE	Location of the Institution being changed without prior approval of AICTE (operational address)	
SHRI RAMDEVBABA KAMLA NEHRU COLLEGE OF ENGG., RAMDEV TEKDI, GITTI KHADAN, KATOL ROAD, NAGPUR 440 013			

### SUGGESTED IMPROVEMENTS

#### Building

- Overall built up area provided for instructional purpose, laboratory, workshop, computer center and administrative area required to be increased to meet the requirements of AICTE norms for existing courses and /or additional courses/variation in intake proposed.
- Built up area/ building provided for the academic and administrative purpose is being shared and combined with other courses need to be separated confirmed.
- The building classrooms / laboratories / workshop / computer center library should be provided with adequate ventilation and lighting for conducive working.

#### Laboratories / workshops

- **Laboratories:** each laboratory must be equipped with more number of sets of equipments and should replace old and out dated equipments with latest technology equipments as per syllabus and curriculum.
- **Workshop:** equipments provided in workshop should be increased to avoid overcrowding of the students. State of art and latest technology machines should be provided by replacing the out dated machines and equipments.

#### Computer center:

- Central computing facility including departmental computer laboratories must be strengthened as per AICTE norms immediately. Relevant licensed software's as per the curriculum should be provided. Internet connectivity should be improved with higher bandwidth and more number of computers should be provided with proper networking to access internet services. Number of peripherals must be strengthened with immediate effect.

#### Library

- Adequate number of books with required volumes and titles, national and international technical journals and periodicals should be provided for each course/discipline and digital library must be provided.

#### Faculty

- Permanent, university approved, regular and qualified principal must be appointed immediately
- University approved regular faculty should be appointed as per students/teacher ratio on a permanent basis w.r.t. approved intake.
- Total faculty ratio with respect to various level of faculty such as head of the department/ professor/assistant professor/lecturer should be provided in all the courses / discipline and confirmed.
- Implementation of fifth pay commission scales and allowances to teaching and non-teaching staff should be confirmed.
- The institution shall maintain proper records and rolls of acquaintance of payment and the records shall be verified by competent authorities whenever called for.

#### Funds

- Institution should not pay rent/transfer any amount of money/loan to the society or any institution on any account.
- Any surplus accrued out of the revenue/income of the institution should be utilized properly for development of institutional facilities.
- The institution shall incur adequate expenditure on per student training cost as per AICTE norms.
- The institution must incur appropriate expenditure as per AICTE norms on all major recurring and non-recurring items such as salary, remuneration of faculty/staff, consumables and equipments

Regional Officer,  
WRO, Mumbai

Adv. Gen.  
AICTE, New Delhi



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

Date: 26/06/2003

To

Secretary  
Higher & Technical Education  
& Employment Department  
Govt. of Maharashtra,  
Mantralaya, Mumbai-400 032

Sub: Appeal for Restoration / Increase in Intake for MCA Programme - Reg.

Sir/ Madam,


The Appeal received from Institution Name **SHRI RAMDEOBABA SMARK SARVAJANIK SAMITI, RAMDEOBABA INSTITUTE OF COMPUTER APPLICATION, SHRI R.K.N.E.C., KALTOL ROAD, GITTIKHANDAN, NAGPUR-440 013**, for Restoration / Increase in Intake for MCA Programme has been processed as per laid down procedure, guidelines, policy and / or norms & standards of AICTE, mentioned in **AICTE Regulations and / or "AICT Hand Book for Approval Process"**.

I am directed to state that after due consideration the Council has decided to maintain the same intake as mentioned in our earlier letter dated: 07/05/2003 as given below:

Name of the Course(s)	Approved Intake	Period of approval
MCA	45 ✓	2003-2004

Thanking you,

Yours faithfully,

  
(K. Subramanian)  
Advisor (PGER)

इंदिरा गंधी खेल मण्डल, इन्दिरा पार्क, नई दिल्ली - 110002


Indira Gandhi Sports Complex, I.P. Estate, New Delhi-110002

दूरभाष : 23392506, 66-66, 68, 71, 73-75 टैक्स / फैक्स : 011-23392554

वेबसाइट : Website : [www.aicte.ac.in](http://www.aicte.ac.in)

Copy to:

- Regional Officer, AICTE, Western Regional Office, 2<sup>nd</sup> Floor, Industrial Assurance Bldg. Opp. Churchgate Railway Station, Veer Nariman road, Mumbai-400020, Maharashtra
- The Registrar, Affiliating University.
- The Principal  
SHRI RAMDEOBABA SMARK SARVAJANIK SAMITI,  
RAMDEOBABA INSTITUTE OF COMPUTER  
APPLICATION, SHRI R.K.N.E.C.,  
KALTOL ROAD, GITTIKHANDAN,  
NAGPUR-440 013,
- Director of Tech. Education, Government of MAHARASHTRA
- Guard File Bureau (PGER)

  
(K. Subramanian)  
Adviser (PGER)



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No:6260/XIII-AIBPG/APP/2K  
Date: 25.08.2003

To

SECRETARY, HIGHER & TECHNICAL EDUCATION  
& EMPLOYMENT DEPT.,  
GOVT. OF MAHARASHTRA,  
MANTRALAYA,  
MUMBAI - 400032

Subject: Extension of Approval, to SHRI RAMDEOBABA KAMLA NEHRU ENGG. COLLEGE RAMDEV TEKDI, GITTIKHADANKOTLA RD NAGPUR 440 013 for conduct of PG programmes.

Sir,

I am directed to state that the All India Council for Technical Education (AICTE), is pleased to accord extension of approval to SHRI RAMDEOBABA KAMLA NEHRU ENGG. COLLEGE RAMDEV TEKDI, GITTIKHADANKOTLA RD NAGPUR 440 013 for the PG course(s) and intake capacity as given below.

COURSE(S)	APPROVED INTAKE	LEVEL	DURATION (YEARS)	PERIOD OF APPROVAL
GEOTECHNICAL ENGINEERING	15	M.TECH.	2 Years	2003-05
TOTAL	15.			

The approval has been accorded subject to fulfillment of general conditions as per norms and standards prescribed by AICTE and also specific conditions (if any, given).

The council may inspect/visit the institution any time it may deem fit to assess if the Norms & Standards as stipulated by AICTE are fulfilled and/or to verify the progress/compliance.

In the event of infringement/contravention or non-compliance of the norms and standards as prescribed by the AICTE, the Council shall take further action to withdraw approval and the liability arising out of such withdrawal of approval will be solely that of Management/Trust/Society and/or Institution.

R

i) Send original  
to Prof. P.B. Kulkarni

(K. SUBRAMANIAN)  
ADVISER

Copy to :-

1. The Director/Principal  
SHRI RAMDEOBABA KAMLA NEHRU ENGG. COLLEGE  
RAMDEV TEKDI,  
GITTIKHADANKOTLA RD  
NAGPUR  
440 013
2. concerned Regional Office
3. Guard File (AICTE)
4. Office Copy



R. Ratkar  
received on 11/9/03

1. 7  
नो लिपिक,  
रा. क. ए. सं.  
नागपुर-१३.